



(19)

Generated Document.

(11) Publication number: **08228368 A****PATENT ABSTRACTS OF JAPAN**(21) Application number: **07056491**(51) Int. Cl.: **H04Q 7/06 H04Q 7/08 H04Q 7/12 H04B 5/04**(22) Application date: **20.02.95**

(30) Priority:	
(43) Date of application publication:	<b>03.09.96</b>
(84) Designated contracting states:	
(71) Applicant: <b>CASIO COMPUT CO LTD</b>	
(72) Inventor: <b>SANO TERUO</b>	
(74) Representative:	

**(54) SELECTIVE DATA  
RECEPTION METHOD AND  
DATA RECEPTION  
TERMINAL**

(57) Abstract:

**PURPOSE:** To surely receive data in an area off time zone by enabling a reception terminal to selectively receive the information later, which this terminal cannot receive because being apart from the service area.

**CONSTITUTION:** The time zone

when paging receivers 10 and 11 are on the outside of the communication range of a radio base station is operated by a center call key 26 of a key input part 44. By this operation, a CPU 45 requests the transmission request output processing of information, which cannot be received in this time zone, to a paging service center. When this transmission request output processing is requested, the CPU 45 confirms set transmission request information and converts the telephone number of the paging service center 1 preliminarily stored in TEL bank memories of receivers 10 and 11 to a DTMF signal by a DTMF signal generation part 50 and originates a call from a speaker 51 by dial tone output, and the control where set transmission request information and its own call number are converted into the DTMF signal and the dial tone is outputted from the speaker 51 is added.

COPYRIGHT: (C)1996, JPO

